

create

create

What Does This User Macro Do?

Controls display and formatting of main Create page.

Where Is This Macro Used?

Create Page

Macro Settings

Macro name:	create
Macro has a body:	false
Body processing:	
Output:	Macro generates HTML markup

Source Code

```
## last updated: 9/1/08 by: othomas
#set($base = $config.BaseUrl)
#set($remoteUser = $action.remoteUser)
<script language="JavaScript" type="text/javascript">
<!--
function createarticle ( selectedtemplate )
{
    document.createform.templateId.value = selectedtemplate ;
    document.createform.submit() ;
}
-->
</script>

#set($selected="false")
#set($showmitcontrib="false")
#set($showhd="false")
#set($showistcontrib="false")
#set($showistdraft="false")
#set($showist="false")
#if($userAccessor.hasMembership("mit-contributors", $action.remoteUser.name) ||
$userAccessor.hasMembership("mit-editors", $action.remoteUser.name))
    #set($selected="mitcontrib")
    #set($showmitcontrib="true")
#end
#if($userAccessor.hasMembership("ist-contributors", $action.remoteUser.name) ||
$userAccessor.hasMembership("ist-editors", $action.remoteUser.name))
    #set($selected="istcontrib")
    #set($showistcontrib="true")
#end
#if($userAccessor.hasMembership("ist-contributors", $action.remoteUser.name) ||
$userAccessor.hasMembership("ist-editors", $action.remoteUser.name))
    #set($showistdraft="true")
```

```

#end
#if($UserAccessor.hasMembership("ist-editors", $action.remoteUser.name) ||
$UserAccessor.hasMembership("ist-pubs-editors", $action.remoteUser.name))
    #set($showist="true")
#end
#if($UserAccessor.hasMembership("hd-contributors", $action.remoteUser.name) ||
$UserAccessor.hasMembership("hd-editors", $action.remoteUser.name))
    #set($selected="hd")
    #set($showhd="true")
#end

<form name="createForm" method="get" action="$base/pages/createpage-entervariables.action">
  <input type="hidden" name="parentPageString" value="Home" />
  <input type="hidden" name="fromPageId" value="" />
  <input type="hidden" name="linkCreation" value="false" />
  <input type="hidden" name="templateId" />
  <table border="0" cellpadding="6" cellspacing="6">
    <tr>
      <td width="40" valign="top" align="center"></td>
      <td width="480" valign="top" align="left" style="background:#99ccff; border-radius:4px;
-moz-border-radius:4px; -webkit-border-radius:4px;">
        <input type="text" size="72" maxlength="255" name="title" tabindex="1"><br />
        Enter a title for your article.
      </td>
    </tr>
    <tr>
      <td width="40" valign="top" align="center"></td>
      <td width="480" valign="top" align="left" style="background:#dddddd; border-radius:4px;
-moz-border-radius:4px; -webkit-border-radius:4px;">
        <select name="spaceKey">
          #if($showmitcontrib=="true")
            #if($selected=="mitcontrib")
              <option value="mitcontrib" selected>Community Contributions space (everyone can read
it)</option>
            #else
              <option value="mitcontrib">Community Contributions space (everyone can read it)</option>
            #end
          #end
          #if($showhd=="true")
            #if($selected=="hd")
              <option value="hd" selected>Help Desk Internal space (IS&T can read it)</option>
            #else
              <option value="hd">Help Desk Internal space (IS&T can read it)</option>
            #end
          #end
          #if($showistcontrib=="true")
            #if($selected=="istcontrib")
              <option value="istcontrib" selected>IS&T Contributions space (everyone can read
it)</option>
            #else
              <option value="istcontrib">IS&T Contributions space (everyone can read it)</option>
            #end
          #end
          #if($showistdraft=="true")
            #if($selected=="istdraft")
              <option value="istdraft" selected>IS&T Draft space (IS&T and release teams can read
it)</option>
            #else
              <option value="istdraft">IS&T Draft space (IS&T and release teams can read it)</option>
            #end
          #end
          #if($showist=="true")
            #if($selected=="ist")
              <option value="ist" selected>IS&T Published space (everyone can read it)</option>
            #else
              <option value="ist">IS&T Published space (everyone can read it)</option>
            #end
          #end
        </select>
      </td>
    </tr>
  </table>
</form>

```

```

#end
#end
    </select><br />
    Where should your article appear? This location can be changed at any time after the article is
    created.
  </td>
</tr>

<tr>
  <td width="40" valign="top" align="center"></td>
  <td width="480" valign="top" align="left" style="background:#ffffff; border-radius:4px;
  -moz-border-radius:4px; -webkit-border-radius:4px;">
    Then click to...<br />
    <a href="javascript:createarticle('3276803')">Create the article using the <strong>Question,
    Context, Solution</strong> template</a><br />
    <a href="javascript:createarticle('3276802')">Create the article using the simpler
    <strong>Question & Answer</strong> template</a><br />
    <a href="javascript:createarticle('3276801')">Create the article using the basic
    <strong>Blank</strong> template</a><br />
  </td>

```

```
</tr>
</table>
</form>
```