How do I install the Debathena-login metapackage?

Q: How do I install the Debathena-login metapackage?

On this page:

Context
Answer
Learn more about using Debathena-login

Context


- You want to install the Debathena-login metapackage on your personal computer.
- You have followed the pre-installation instructions and met the requirements on How do I install Debathena on my personal computer?.
- This article will explain the steps involved in using the interactive command-line installer. If you wish to install the metapackage manually, see How do I install Debathena manually?.

Answer

1. Open the command line.
   The following steps will be executed on the command line. If you are unfamiliar with the command line, you can refer to IST's guide on Working with the Command Line.
2. Make sure your Ubuntu or Debian package is up to date. You might be prompted for your personal computer's password. Follow the on-screen instructions to update your Ubuntu or Debian package.

```
sudo apt-get update # Fetches the list of available updates
sudo apt-get dist-upgrade # Installs updates
```

3. Download and execute the Debathena installation script. Follow the instructions on Installing Debathena .
4. Select the standard metapackage that you wish to install. Enter the keyword `login` at the prompt.



5. Choose whether you want to install the `debathena-msmtp-mta` package. You are recommended to install the package (default option).

```
ist@ubuntu: ~
ist@ubuntu:~$ sudo sh install-debathena.sh
Welcome to the Debathena installer.

Please choose the category which best suits your needs.  Each category
in this list includes the functionality of the previous ones.  See the
documentation at http://debathena.mit.edu for more information.

  standard:        Athena client software and customizations
                   Recommended for laptops and single-user computers.
  login:           Allow Athena accounts to log into your machine
                   Recommended for private remote-access servers.
  login-graphical: Athena graphical login customizations
                   Recommended for private multi-user desktops.
  workstation:     Graphical workstation with automatic updates
                   Recommended for auto-managed cluster-like systems.

Please choose a category or press control-C to abort: login
Debathena provides the 'debathena-msmtp-mta' package, which includes
a wrapper for the 'sendmail' command that configures it to use the
MIT outgoing servers and Kerberos authentication.
Advanced users may wish to skip this package and configure their own
mail transport agent (e.g. Postfix) instead.

Install debathena-msmtp-mta? [y/N]
```

6. Choose whether you want to install extra software packages. This is a large package and provides all the third party software that is installed on Debathena cluster workstations. If you want your workstation to be exactly like a cluster workstation, you should choose to install this package. Alternatively, you can skip this package and install individual pieces of software when you need them.To learn more about them, see Software Licenses in Debathena.

```
ist@ubuntu: ~
                   Recommended for private remote-access servers.
  login-graphical: Athena graphical login customizations
                   Recommended for private multi-user desktops.
  workstation:     Graphical workstation with automatic updates
                   Recommended for auto-managed cluster-like systems.

Please choose a category or press control-C to abort: login
Debathena provides the 'debathena-msmtp-mta' package, which includes
a wrapper for the 'sendmail' command that configures it to use the
MIT outgoing servers and Kerberos authentication.
Advanced users may wish to skip this package and configure their own
mail transport agent (e.g. Postfix) instead.

Install debathena-msmtp-mta? [y/N]

The extra-software package installs a standard set of software
determined to be of interest to MIT users, such as LaTeX.  It is pretty
big (several gigabytes, possibly more).

Note: This package may include software with additional license terms.
      By installing it, you are agreeing to the terms of these licenses.
      For more information, please see http://debathena.mit.edu/licensing

Do you want the extra-software package [y/N]?
```

7. Review details of your installation. Press **return** to confirm and continue.

```
ist@ubuntu: ~
a wrapper for the 'sendmail' command that configures it to use the
MIT outgoing servers and Kerberos authentication.
Advanced users may wish to skip this package and configure their own
mail transport agent (e.g. Postfix) instead.

Install debathena-msmtp-mta? [y/N]

The extra-software package installs a standard set of software
determined to be of interest to MIT users, such as LaTeX.  It is pretty
big (several gigabytes, possibly more).


Note: This package may include software with additional license terms.
      By installing it, you are agreeing to the terms of these licenses.
      For more information, please see http://debathena.mit.edu/licensing

Do you want the extra-software package [y/N]?


A summary of your choices:
  Category: login
  Extra-software package: no
  Third-party software package: no

Press return to begin or control-C to abort
```

8. Choose whether you want to install OpenAFS from a PPA (personal package archive) maintained by the OpenAFS team. Press **return** or enter Y to install OpenAFS from a PPA (recommended).



9. Congratulations! You have successfully installed Debathena-workstation.



Learn more about using Debathena-login

See [hdarchive:Debathena Landing Page].