

Installing and Configuring Shibboleth 2.x on Mac OS X 10.6.x Server

Installing and Configuring Shibboleth 2.x on Mac OS X 10.6.x Server

Notes

- Your server must have a static IP address, and valid DNS
- Your server must have the MIT CA installed in it's System Keychain. See the "Install the MIT CA (Certificate Authority)" section on [Install and Renew Certificates in Safari on Mac OS X 10.6](#) for detailed instructions.

Installing an MIT Server Certificate for SSL

1. Obtain a [certificate](#) signed by the MIT Certificate authority
2. Launch Server Admin
3. Select the **Server > Certificates > '+' > Import a Certificate Identity**
4. Drag the file containing your private key, https-key.pem from step 1, to the sheet
5. Drag the file containing your certificate, returned by mitcert@mit.edu from step 1, to the sheet
6. Press **Import**
7. Start the Web service if it's not already running
8. Select the Server and press the triangle to list the services
9. Select **Web > Sites** and press **+** to add a new site
10. Enter the server's host name in the host name field
11. Check the Enabled box next to this new site
12. Select the **Security** tab
13. Check "Enable Secure Sockets Layer (SSL)"
14. Press **OK** to the "Site port changed" warning
15. From the Certificate pull down menu, select the certificate you installed above
16. Press **Save**
17. Press **Restart** when asked if you want to restart Web now.
18. Launch Terminal.app
19. Run `sudo -s`
20. Run `cd /etc/apache2`
21. Run `mkdir certs`
22. Run `chmod 700 certs`
23. Copy your private key and certificate, from step 1, into /etc/apache2.
24. Run `chmod -R 600 certs/*`

You should be able to connect to your server via http and https.

Install Shibboleth

1. Install Xcode, found on the Mac OS X 10.6 (Snow Leopard) install DVD
2. Download and run the [MacPorts](#) installer
3. Launch Terminal.app
4. Run `port selfupdate`
5. Run `sudo -s`
6. Run `port install curl +ssl`
7. Run `port install shibboleth`

Configure Shibboleth

1. Launch Terminal.app
2. Run `sudo -s`
3. Run `cd /private/etc/apache2`
4. Run `echo "Include /opt/local/etc/shibboleth/apache22.config" >> httpd.conf`
5. Run `perl -pi -e 's/UseCanonicalName Off/UseCanonicalName On/' httpd.conf`
6. Run `/usr/sbin/apachectl restart`

7. Run `launchctl load -Fw /Library/LaunchDaemons/org.macports.shibd.plist`
8. Run `touch /opt/local/var/log/httpd/native.log`
9. Run `chown _www /opt/local/var/log/httpd/native.log`
10. Run `cd /opt/local/etc/shibboleth`
11. Run `scp username@athena.dialup.mit.edu:/afs/athena.mit.edu/project/touchstone/config/shibboleth2-sp/. , where username is your Athena username.`
12. Run `sh gen-shib2.sh`
13. Press **Return**
14. Enter the full path to your certificate file, found in `/etc/apache2/certs`.
15. Enter the full path to your private key file, found in `/etc/apache2/certs`.
16. To get information about authenticated users, you must first register your application as described in the Letting the IdP know about your application section of [Touchstone Provisioning Steps](#).
17. Run `mkdir /Library/WebServer/Documents/secure`. This directory will be restricted to all authenticated users by default. To enable `.htaccess` files, you'll need to add "AllowOverride AuthConfig" to the "<Location /secure>" section of `/opt/local/etc/shibboleth/apache22.config`, as well as remove the "require valid-user" line. You'll need to restart apache after making these changes. Once restarted, you can add `.htaccess` files to limit access to any directory in `/Library/WebServer/Documents/secure`. To limit access to `bob@mit.edu` and `sue@mit.edu`, the `.htaccess` file would contain "require user bob@mit.edu sue@mit.edu". Note: moira groups are not supported.

Upgrading Shibboleth

1. Launch Terminal.app
2. Run `sudo -s`
3. Run `port sync`
4. Run `port upgrade shibboleth`