

create-panel

create-panel

What Does This User Macro Do?

Where Is This Macro Used?

Macro Settings

Macro name:	create-panel
Macro has a body:	false
Body processing:	
Output:	Macro generates HTML markup

Source Code

```
## last updated: 9/1/08 by: othomas
## Knowledge Base User Macro Standard Preamble
#set($remoteUser = $action.remoteUser)
#set($page = $action.page)
#set($pageId = $content.IdAsString)
#set($title = $content.Title)
#set($spaceKey = $space.Key)
#set($query = $req.getParameter("searchQuery"))
#set($base = $config.BaseUrl)
##
## The below is copied from the {edit} macro
##
#set($selected="false")
#set($showmitcontrib="false")
#set($showhd="false")
#set($showistcontrib="false")
#set($showistdraft="false")
#set($showist="false")
#if($userAccessor.hasMembership("mit-contributors", $action.remoteUser.name) ||
$userAccessor.hasMembership("mit-editors", $action.remoteUser.name))
    #set($selected="mitcontrib")
    #set($showmitcontrib="true")
#end
#if($userAccessor.hasMembership("ist-contributors", $action.remoteUser.name) ||
$userAccessor.hasMembership("ist-editors", $action.remoteUser.name))
    #set($selected="istcontrib")
    #set($showistcontrib="true")
#end
#if($userAccessor.hasMembership("ist-contributors", $action.remoteUser.name) ||
$userAccessor.hasMembership("ist-editors", $action.remoteUser.name))
    #set($showistdraft="true")
#end
#if($userAccessor.hasMembership("ist-editors", $action.remoteUser.name) ||
$userAccessor.hasMembership("ist-pubs-editors", $action.remoteUser.name))
    #set($showist="true")
```

```

#endif
#if($userAccessor.hasMembership("hd-contributors", $action.remoteUser.name) ||
$userAccessor.hasMembership("hd-editors", $action.remoteUser.name))
    #set($selected="hd")
    #set($showhd="true")
#endif

##
## This JavaScript deals with submitting the form with the entered article title as an arg
##
<script language="JavaScript" type="text/javascript">
<!--
function createarticle ( selectedtemplate )
{
    document.createform.templateId.value = selectedtemplate ;
    document.createform.submit() ;
}
-->
</script>

#if($query)
<div class="" align="left">
    <form name="createform" method="get" action="$base/pages/creapage-entervariables.action">
        <input type="hidden" name="parentPageString" value="Home" />
        <input type="hidden" name="fromPageId" value="" />
        <input type="hidden" name="linkCreation" value="false" />
        <!-- <input type="hidden" name="templateId" /> -->
        <table style="width:208px;">
            <tr><td colspan="2" style="vertical-align:top;align:left;">Quick-create new article
called:</td></tr>
            <tr><td colspan="2" style="vertical-align:middle;align:left;"><input type="text" maxlength="255"
name="title" value="$!query" style="width:172px;color:#3366cc;" />&nbsp;<input type="image"
align="absmiddle" src="$base/download/attachments/2686978/go_button.png" width="24" height="24"
value="submit" name="submit" /></td></tr>
            <tr><td colspan="2" style="vertical-align:middle;align:left;"><span
style="font-size:0.8em;">Optional:</span></td></tr>
            <tr><td style="font-size:0.8em;text-align:right;vertical-align:middle;">where:</td><td
style="font-size:0.8em;text-align:left;vertical-align:middle;"><select name="spaceKey"
style="width:100%">
                #if($showmitcontrib=="true")
                    #if($selected=="mitcontrib")
                        <option value="mitcontrib" selected>Community Contrib</option>
                    #else
                        <option value="mitcontrib">Community Contrib</option>
                    #end
                #end
                #if($showhd=="true")
                    #if($selected=="hd")
                        <option value="hd" selected>Help Desk Internal</option>
                    #else
                        <option value="hd">Help Desk Internal</option>
                    #end
                #end
                #if($showistcontrib=="true")
                    #if($selected=="istcontrib")
                        <option value="istcontrib" selected>IS&amp;T Contrib</option>
                    #else
                        <option value="istcontrib">IS&amp;T Contrib</option>
                    #end
                #end
                #if($showistdraft=="true")
                    #if($selected=="istdraft")
                        <option value="istdraft" selected>IS&amp;T Draft</option>
                    #else
                        <option value="istdraft">IS&amp;T Draft</option>
                    #end
                #end
                #if($showist=="true")
                    #if($selected=="ist")
                        <option value="ist" selected>IS&amp;T Published</option>

```

```
#else
    <option value="1&amp;T Published">IS&amp;T Published</option>
#end
#end
</select></td></tr>
<tr><td style="font-size:0.8em;text-align:right;vertical-align:middle;">template:</td><td
style="font-size:0.8em;text-align:left;vertical-align:middle;"><select name="templateId"
style="width:100%">
    <option value="3276803" selected>Help Desk QCS</option>
    <option value="3276802">Question & Answer</option>
    <option value="3276801">Blank</option>
</select></td></tr>
</table>
<div class="" align="center">
or<br />
<a href="$base/display/home/Create" name="Create an Article">Go to the full Create page</a><br />
for complete instructions
</div>
<!--
<a href="javascript:createarticle('3276803')">with a <strong>Question, Context, Solution</strong>
template.</a><br />
<a href="javascript:createarticle('3276802')">with a <strong>Question & Answer</strong>
template</a>.<br />
<a href="javascript:createarticle('3276801')">with a basic <strong>Blank</strong> template</a>
-->
</form>
</div>
#else
<div class="" align="center">
```

```
<a href="$base/display/home/Create" name="Create a new article">Create a new article</a>
</div>
#end
```