

Using Cybersource to Accept Payments on Your Drupal Site

Using Cybersource to Accept Payments on Your Drupal Site

On this page:

- [Introduction](#)
- [Enabling the Cybersource Module and Clearing Your Cache](#)
- [Creating the Drupal Cloud Webform](#)
- [Adding Fields \(components\)](#)
- [Enabling Interaction with Cybersource](#)
- [Creating a Custom Receipt Page](#)
- [Test your Cybersource Webform](#)
- [See Also](#)

Introduction

The [Cybersource](#) module allows MIT staff or students who have registered with Merchant Services to accept credit card payments using a Drupal Cloud webform to submit data to the Cybersource credit card processing service.

The module maps Drupal field names to corresponding Cybersource fields, submits the mapped form data to Cybersource, and saves the response into your webform results. In compliance with MIT policy, credit card information is handled by Cybersource and is not stored within your Drupal Cloud website.

To use this feature, you must first obtain a Cybersource Merchant ID from Merchant Services. If you do not currently have a merchant ID, [apply for a new merchant ID](#) through the Merchant Services site.

You will need to complete the following steps.

1. Enable the Cybersource module.
2. Create the webform on your Drupal Cloud site.
3. Add fields to your webform.
4. Enable Cybersource interaction.
5. Test your Cybersource webform.

Enabling the Cybersource Module and Clearing Your Cache

1. Log in to your site.
2. From the **Administrator** menu, click **Modules**.
3. Scroll to the *Merchant Services* section and find the **Cybersource** module.
4. Check the box in the *Enabled* column.
5. Scroll to the bottom and click the **Save configuration** button. After a moment you will see a green confirmation message at the top.
6. Click **Configuration** from the **Administrator** menu.
7. In the *Development* section, click **Performance**.
8. Click the **Clear all caches** button. You will see a green confirmation message at the top.

Creating the Drupal Cloud Webform

1. From the **Administrator** menu, click **Content**.
2. Click **Add Content**, then **Webform**. Note: If you have an existing form you would like to use skip to "Webform Settings"

Content

Home » Administration

+ Add content

SHOW ONLY ITEMS WHERE

status any

type any

Filter

UPDATE OPTIONS

Publish selected content

Update

<input type="checkbox"/>	TITLE	TYPE	AUTHOR	STATUS	UPDATED	OPERATIONS
<input type="checkbox"/>	Contact new	Basic page	admin	published	2014-09-16 16:09	edit delete
<input type="checkbox"/>	About new	Basic page	admin	published	2014-09-16 16:09	edit delete
<input type="checkbox"/>	Home	Basic page	admin	published	2014-09-16 16:09	edit delete

- Enter a **Title** for your webform, then click **Save** at the bottom right. The Webform screen will open showing the Form components.

Test Webform

Home

Form components

Conditionals

E-mails

Form settings

✓ Webform Test Webform has been created.

The new webform Test Webform has been created. Add new fields to your webform with the form below.

Show row weights

LABEL	TYPE	VALUE	REQUIRED	OPERATIONS
No Components, add a component below.				

+ New component name

Textfield

Add

Note: Whereas Drupal Cloud allows for web forms to be attached to other content types (such as a basic page), forms created in this way will not work with the Cybersource module. The content type 'Webform' must be used.

Adding Fields (components)

- You may add any components to your web form. The only required component is a field to indicate the amount of the purchase. Other common fields include fields for billing and shipping information as well as special merchant defined data fields.
- You can use your own naming conventions for your webform components. In the webform settings you will decide how your Webform fields are mapped to Cybersource fields. You could actually name your fields to match the Cybersource fields. A list is provided later.
- The following field names are reserved for use by the Cybersource module: *requestID*, *paymentOption*, *card_accountNumber*, *reasonCode*, and *decision*.
- A sample of common webform components for a Cybersource form is displayed below.

Cybersource Form

Home » Cybersource Form

Form components

E-mails

Form settings

Show row weights

LABEL	TYPE	VALUE	MANDATORY	OPERATIONS
+ item	Textfield	-	<input type="checkbox"/>	Edit Clone Delete
+ amount	Number	-	<input checked="" type="checkbox"/>	Edit Clone Delete
+ first_name	Textfield	-	<input type="checkbox"/>	Edit Clone Delete
+ last_name	Textfield	-	<input type="checkbox"/>	Edit Clone Delete
+ street 1	Textfield	-	<input type="checkbox"/>	Edit Clone Delete
+ street 2	Textfield	-	<input type="checkbox"/>	Edit Clone Delete
+ city	Textfield	-	<input type="checkbox"/>	Edit Clone Delete
+ state	Textfield	-	<input type="checkbox"/>	Edit Clone Delete
+ zip	Textfield	-	<input type="checkbox"/>	Edit Clone Delete
+ country	Textfield	-	<input type="checkbox"/>	Edit Clone Delete
+ New component name	Textfield		<input type="checkbox"/>	Add

Save

To add a field:


- Click in the box with the text *New component name*.
- Type a name for your field. You will not be able to change this once the field is added. You can delete the field and add it again if you make a mistake.
- Choose the field type from the drop down list.

4. Click the check box to make the field mandatory.
5. Click **Add** to the right.
6. The *Edit component* page opens allowing you to select options for your component field.
7. Click **Save component** at the bottom of left of the page.
8. Continue adding fields.
9. Click **Save** at the bottom left when you are finished adding fields.

- **Note:** Cybersource uses two uppercase character **country codes** (e.g. *US*) for country identification. If your form requires specifying a country, the best method is to add a field with type *select options*. Within the settings for this field, under the *Load a pre-built option list* option, select *Cybersource Countries* for a pre-populated list of country options that will function correctly with Cybersource.

Enabling Interaction with Cybersource

1. To enable Cybersource interaction for you web form, click **Form settings** and then check the box for *Cybersource webform*. This will display the Cybersource settings for your form.



2. Apply the following settings
 - Shopmit System:** Choose *Test* to forward data to the Cybersource test environment, or *Production* to forward information to the Cybersource production environment.
 - Merchant ID:** Enter your merchant ID which you received from MIT Merchant Services.
 - Secure Acceptance Profile:** Specifying a secure acceptance profile is optional. If you do not specify a profile, the default profile will be used. To specify a secure acceptance profile, enter your *Profile ID* and *Access Key*.
3. Click **Save configuration** to save the form as a Cybersource webform.
4. Click **Form components**. You will notice that additional hidden webform components have been added.
 - a. requestID
 - b. paymentOption
 - c. card_accountNumber
 - d. reasonCode
 - e. decision

These fields are for storing transaction result information from Cybersource and cannot be modified. They are considered reserved fields. If your webform already has components with the same names they will be deleted and replaced with hidden field components when the webform is saved as a Cybersource webform.
5. Click **Form settings** to return to the configuration screen.
6. Map your fields.

Below the *Access Key* field you will see a series of fields. These are the fields available in the Cybersource system. For each Cybersource field, select which of your Drupal Cloud webform fields should be mapped to it. When you map a webform field to a Cybersource field, the value in the webform is passed to the Cybersource system to autofill the order form.

The *Amount* field is required. All others are optional. If, for example, you map your *first_name* field to the *Bill To First Name* in Cybersource, your visitor will not have to re-type his or her first name. Any information you do not pass from your webform to Cybersource will need to be typed in by your visitor.

settings for your form.

The screenshot shows a webform interface for Cybersource. It includes fields for Profile ID, Access Key, Amount (a dropdown), and several 'Bill To' fields: Bill To First Name, Bill To Street Address 1, Bill To Street Address 2, Bill To City, and Bill To State. The 'Bill To First Name' dropdown is open, showing a list of options including item(item), amount(amount), first_name(first_name), last_name(last_name), street_1(street 1), street_2(street 2), city(city), state(state), zip(zip), and country(country). The 'Bill To First Name' label is also visible above the dropdown.

Cybersource fields

- Amount (required)
- Bill To First Name
- Bill To Last Name
- Bill To Company
- Bill To Street Address 1
- Bill To Street Address 2
- Bill To City
- Bill To State
- Bill To Postal Code
- Bill To Country Note: Cybersource uses two uppercase character country codes.
- Bill To Customer ID
- Bill To Email
- Bill To Phone Number
- Merchant Defined Data 1 – 10

Note: Cybersource lets you create several merchant defined data fields. If you have created these fields in Cybersource, select the Drupal webform components you want to use for Merchant Defined Data fields 1 – 10 respectively.

Some webform components such as select options and grids can store multiple values. Cybersource values are single strings. The Cybersource module encodes multiple values as JSON strings when sending data to Cybersource and decodes them when saving the webform submission data. It is recommended that any webform component that stores multiple values is mapped to a Merchant Defined data field.

Creating a Custom Receipt Page

The default receipt page includes the amount, orderNumber, and any fields you've mapped to Cybersource fields.

To create a custom receipt page check the box next to Use Custom Receipt Page. The custom receipt page allows you to override the default receipt page with your own html markup. You can embed your webform components to be used in the receipt page by selecting the field from the Smart Tag dropdown menu and then clicking the Add button.

For example, the following template will create a table including the first and last name, request ID, and amount:

```
<table>
<tr><th>Name</th><td>##first_name## ##last_name##</td></tr>
<tr><th>Request ID</th><td>##requestID##</td></tr>
<tr><th>Amount</th><td>##price##</td></tr>
</table>
```

Test your Cybersource Webform

For the receipt page to work properly, you must first configure the Secure Acceptance settings in the Cybersource Business Center system to send data to your Drupal site.

Once you have verified that, return to your Drupal Cloud site and test your form.

1. Click the View tab at the top right to switch to the webform entry screen.

- Home
- About
- Blog
- News
- Contact

Content Management

- Site Information
- Configure Theme
- Site Background Image
- Create a basic page
- Create a blog entry
- Create a news article
- Administrate Blocks
- Configure Menus
- Configure Events Calendar

ViewEditWebformResultsLog

Cybersource Form

Submitted by [pankin@mit.edu](#) on Thu, 2014-09-18 08:52

item
colored pens

amount *
17.95

first_name
Jim

last_name
Johnson

street 1
23 Elm Street

street 2

city
Somerville

state
MA


zip
02234


country
United States

Submit

- Enter the billing information on the form and click the Submit button.
- Enter the Captcha words you see on your screen and click the **Submit** button. This option may be disabled for some merchants.

Please enter the number, word or words that you see in the box. In the case of having several words, write them in order and separated by a space.






[Privacy & Terms](#)

- If you are not able to understand the text, click the reload button next to the captcha.
- Visually impaired users can click the audio button to hear a set of words that can be entered instead of the visual challenge.
- Click the text button to switch back to a visual recaptcha challenge.
- View the recaptcha help document.

Submit

- You will be redirected to the Cybersource order page.



The image shows a CyberSource payment form. At the top left is the CyberSource logo with the tagline "the power of payment". The form is divided into three main sections: Billing Information, Payment Details, and Your Order.

Billing Information (marked with an asterisk and "Required field") includes the following fields:

- First Name *: Sue
- Last Name *: Graham
- Address *: 224 West End
- City *: Cambridge
- Country *: United States of America (dropdown)
- State/Province: Massachusetts (dropdown)
- Zip/Postal Code *: 02139
- Email: slg@mit.edu

Payment Details (marked with an asterisk) includes the following fields:

- Card Type *: Radio buttons for Visa, MasterCard, Amex, and Discover. Visa is selected.
- Card Number *: [Empty field]
- Expiration Date *: 01 / 2014 (dropdowns)
- Buttons: Cancel and Pay

Your Order section shows:

- Total amount: \$31.44

5. Your billing information should already be populated from your webform.

6. Enter your test credit card information.

- Credit Card Type: Visa
- Credit Card Number: 4111111111111111
- Card Verification Number: any 3 digits
- Card Expiration Date: any non-expired date

7. Click the Submit button.

You are returned to your Drupal receipt page. If you used the custom receipt page in the example above, your receipt page will look something like this:

Name	John Doe
Request ID	3940458004000178147615
Amount	24.99

To View Your Transactions

- From the administrator toolbar click Content, then click edit to the right of your Cybersource webform.
- Click the Results tab to view a list of your transactions.
- Click the View link to see the details for a transaction.

Submission information

Form: [Cybersource Form](#)
Submitted by [sseligma](#)
Wednesday, March 5, 2014 - 13:56
127.0.0.1

requestID

3940458004000178147615

price

24.99

paymentOption

card

first_name

John

last_name

Doe

card_accountNumber

#####1111

street 1

100 main street

reasonCode

100

street 2

decision

ACCEPT

city

cambridge

See Also

- [Return to Drupal Cloud Landing Page](#)