How do I geocode a list of addresses in ArcGIS?

Q: How do I geocode a list of addresses in ArcGIS?

Answer

Geocoding is a method by which one can plot a list of addresses spatially. First, prepare your data:

- Address/street numbers and street names have to be in the same field and not separated by commas (e.g. 123 Main St rather than 123, Main St).
- Make sure column headings do not have spaces or special characters and are less than 8 characters.

Next, you can use the geocode tool in ArcMap:

- 1. Add your table with addresses to ArcMap.
- 2. Right click on the table and select Geocode Addresses.
- 3. Click Add to choose an Address Locator. If you are a member of the MIT Community you can download address locators for the United States from the same IS&T website from which you download ArcGIS: https://ist.mit.edu/arcgis. You can also create your own address locator if you have the appropriate street data.
- 4. In the Address Input Fields section, select one of the following options:
 - a. Single Field—The complete input address, such as 303 Peachtree St NE, Atlanta GA 30308, is stored in one field in the address table.
 - b. Multiple Fields—Each input address is broken down into multiple fields, such as Address, City, State, and ZIP Code for a general United States address.
- 5. Click the drop-down arrow of each input address field and select the corresponding field from the input address table.
- 6. Click OK to start geocoding the table.
- 7. You can review and modify the unmatched addresses by clicking on the Review/Rematch Addresses button in the Geocoding toolbar:



Click Customize > Toolbars if you do not see the Geocoding toolbar.

Further Resources

- ESRI: Geocoding a table of addresses in ArcMap
- ESRI: About rematching a geocoded feature class

See Also

ArcGIS Landing Page

Created by MIT GIS Services. Email gishelp(at)mit.edu for more assistance.